

TECHNICAL SPECIFICATION

High relaxable cushion seat	HITLON/BONDED
Wheel Drive	Rear Wheel Drive
Transmission	Differential
Gear ratio	0.417361111
Battery Connection	4 battery in Series
Runing Distance	90-100km/charage
Turning Circle diameter	2.8m
Suspension	Leaf Spring & Rear Shocker
Braking System	Front & Rear Rods
Front Brake Dia	130mm
Rear Brake Dia	160mm
Steering System	Steering Handle
Wheels /RIM*	2.15X12"(MS RIM)
Tyre	Tube Type 3.75x12"
Length	2760mm
Width	940mm
Hight	1770mm
Wheel Base	2125mm
Ground Clearance	180mm
Seating Capacity :	4 Passenger + 40Kg
Vehicle Kerb Weight	380 Kg
Vehicle Gross Weight	720 Kg
Motor Type	BLDC
Motor Characteristic	48V1000W/3200RPM
Water Ingress	IP 65
Colling Type	Air Cool with fan
Controller Features	Overload Protection
Reating	50Amp
No. of Mosfets	24
Rating Volt	48V
Water Ingress	IP 65
Cooling Type	Heat Sink
SS Frames	Optional
LED Screen & Camera	Optional



E RICKSHAW MILD STEEL

Dealer Price with Scheme

- Purchase of less than 10 units of E Rickshaw (MS- Lead Acid) the price will be **₹ 120675/-**
- Purchase of more than 15 units of E Rickshaw (MS- Lead Acid) the price will be **₹ 115675/-**
- Purchase of more than 20 units of E Rickshaw (MS- Lead Acid) the price will be **₹ 110675/-**

*** Running distance with 135 Ah Battery Varies as per Load. * As per Company WARRANTY Policies**

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice

TECHNICAL SPECIFICATION

High relaxable cushion seat	HITLON/BONDED
Wheel Drive	Rear Wheel Drive
Transmission	Differential
Gear ratio	0.417361111
Battery Connection	4 battery in Series
Runing Distance	90-100km/charage
Turning Circle diameter	2.8m
Suspension	Leaf Spring & Rear Shocker
Braking System	Front & Rear Rods
Front Brake Dia	130mm
Rear Brake Dia	160mm
Steering System	Steering Handle
Wheels /RIM*	2.15X12"(MS RIM)
Tyre	Tube Type 3.75x12"
Length	2760mm
Width	940mm
Hight	1770mm
Wheel Base	2125mm
Ground Clearance	180mm
Seating Capacity :	4 Passenger + 40Kg
Vehicle Kerb Weight	380 Kg
Vehicle Gross Weight	720 Kg
Motor Type	BLDC
Motor Characteristic	48V1000W/3200RPM
Water Ingress	IP 65
Colling Type	Air Cool with fan
Controller Features	Overload Protection
Reating	50Amp
No. of Mosfets	24
Rating Volt	48V
Water Ingress	IP 65
Cooling Type	Heat Sink
SS Frames	Optional
LED Screen & Camera	Optional



E RICKSHAW STAINLESS STEEL

Dealer Price with Scheme

- Purchase of less than 10 units of E Rickshaw (MS- Lead Acid) the price will be **₹ 125675/-**
- Purchase of more than 15 units of E Rickshaw (MS- Lead Acid) the price will be **₹ 120675/-**
- Purchase of more than 20 units of E Rickshaw (MS- Lead Acid) the price will be **₹ 125675/-**

*** Running distance with 135 Ah Battery Varies as per Load. * As per Company WARRANTY Policies**

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice

TECHNICAL SPECIFICATION

Wheel Drive	Rear Wheel Drive
Body Type	Half Body
Front Type	Winshield
Motor Type	BLDC
Motor Characteristic	48V1000W/3200RPM
Controller	40 VOLTS / 60 AMPS
Runing Distance L.A	110km/charage
Runing Distance L-ION	80-85km/charage
Speed	25 km/Hr
Fuel Type	Electric
Battery Option	Lead Acid & Lithium ION
Front Suspension	Telescopic Hydraulic Shocker
Rear Suspension	Leaf Speing with Hydraulic Shocker
Loading Capacity :	650Kg
Length	2800mm
Width	1000mm
Hight	1800mm
Braking System	Front & Rear Drum
Gear Type	Automatic
Tyre Size	3.75x12"
Body Material	Mild Steel
Length	1676 mm
Width	1219 mm
Height	609 mm

Features

Wiper Motor	
Music System	
Intelligent Controller	
Reverse Option	
Central Locking	
Mobile App with Lithium -Ion	
GPS(Optional)	
Tool Kit	
First Aid Box	
Warranty	
Motor- CY GOLD	6 Months
Controller-CY GOLD	6 Months
Exide / Eastman	15 Months
Lithium	36 Months



E HALF LOADER MILD STEEL

Dealer Price with Scheme

- Purchase of less than 10 units of E Rickshaw (MS- Lead Acid) the price will be **₹ 124875/-**
- Purchase of more than 15 units of E Rickshaw (MS- Lead Acid) the price will be **₹ 119675/-**
- Purchase of more than 20 units of E Rickshaw (MS- Lead Acid) the price will be **₹ 114675/-**

*** Running distance with 135 Ah Battery Varies as per Load. * As per Company WARRANTY Policies**

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice

TECHNICAL SPECIFICATION

Wheel Drive	Rear Wheel Drive
Body Type	Full Body
Front Type	Winshield
Motor Type	BLDC
Motor Characteristic	48V1000W/3200RPM
Controller	40 VOLTS / 60 AMPS
Runing Distance L.A	110km/charage
Runing Distance L-ION	80-85km/charage
Speed	25 km/Hr
Fuel Type	Electric
Battery Option	Lead Acid & Lithium ION
Front Suspension	Telescopic Hydraulic Shocker
Rear Suspension	Leaf Speing with Hydraulic Shocker
Loading Capacity :	650Kg
Length	2800mm
Width	1000mm
Hight	1800mm
Braking System	Front & Rear Drum
Gear Type	Automatic
Tyre Size	3.75x12"
Body Material	Mild Steel
Length	1680 mm
Width	1210 mm
Height	990 mm

Features

Wiper Motor	
Music System	
Intelligent Controller	
Reverse Option	
Central Locking	
Mobile App with Lithium -Ion	
GPS(Optional)	
Tool Kit	
First Aid Box	
Warranty	
Motor- CY GOLD	6 Months
Controller-CY GOLD	6 Months
Exide / Eastman	15 Months
Lithium	36 Months



E FULL LOADER MILD STEEL

Dealer Price with Scheme

- Purchase of less than 10 units of E Rickshaw (MS- Lead Acid) the price will be **₹ 131175/-**
- Purchase of more than 15 units of E Rickshaw (MS- Lead Acid) the price will be **₹ 126175/-**
- Purchase of more than 20 units of E Rickshaw (MS- Lead Acid) the price will be **₹ 121175/-**

*** Running distance with 135 Ah Battery Varies as per Load. * As per Company WARRANTY Policies**

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice

TECHNICAL SPECIFICATION

Wheel Drive	Rear Wheel Drive
Body Type	Full Body
Front Type	Winshield
Motor Type	BLDC
Motor Characteristic	48V1000W/3200RPM
Controller	40 VOLTS / 60 AMPS
Runing Distance L.A	110km/charage
Runing Distance L-ION	80-85km/charage
Speed	25 km/Hr
Fuel Type	Electric
Battery Option	Lead Acid & Lithium ION
Front Suspension	Telescopic Hydraulic Shocker
Rear Suspension	Leaf Speing with Hydraulic Shocker
Loading Capacity :	650Kg
Length	2800mm
Width	1000mm
Hight	1800mm
Braking System	Front & Rear Drum
Gear Tytre	Automatic
Tyre Size	3.75x12"
Body Material	Mild Steel
Length	1414 mm
Width	1010 mm
Height	880 mm

Features

Wiper Motor	
Music System	
Intelligent Controller	
Reverse Option	
Central Locking	
Mobile App with Lithium -Ion	
GPS(Optional)	
Tool Kit	
First Aid Box	
Warranty	
Motor- CY GOLD	6 Months
Controller-CY GOLD	6 Months
Exide / Eastman	15 Months
Lithium	36 Months



E GARBAGE LOADER LOADER

MANUAL-MILD STEEL

Dealer Price with Scheme

- Purchase any quantity (MS- Lead Acid) the price will be ₹ 189659/~

* Running distance with 135 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice

TECHNICAL SPECIFICATION

Wheel Drive	Rear Wheel Drive
Body Type	Full Body
Front Type	Winshield
Motor Type	BLDC
Motor Characteristic	48V1000W/3200RPM
Controller	40 VOLTS / 60 AMPS
Runing Distance L.A	110km/charage
Runing Distance L-ION	80-85km/charage
Speed	25 km/Hr
Fuel Type	Electric
Battery Option	Lead Acid & Lithium ION
Front Suspension	Telescopic Hydraulic Shocker
Rear Suspension	Leaf Speing with Hydraulic Shocker
Loading Capacity :	650Kg
Length	2800mm
Width	1000mm
Hight	1800mm
Braking System	Front & Rear Drum
Gear Tytre	Automatic
Tyre Size	3.75x12"
Body Material	Mild Steel
Length	1414 mm
Width	1010 mm
Height	880 mm

Features

Wiper Motor	
Music System	
Intelligent Controller	
Reverse Option	
Central Locking	
Mobile App with Lithium -Ion	
GPS(Optional)	
Tool Kit	
First Aid Box	
Warranty	
Motor- CY GOLD	6 Months
Controller-CY GOLD	6 Months
Exide / Eastman	15 Months
Lithium	36 Months



E GARBAGE LOADER LOADER HYDRALIC-MILD STEEL

Dealer Price with Scheme

- Purchase any quantity (MS- Lead Acid) the price will be ₹ 200159/~

* Running distance with 135 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



TECHNICAL SPECIFICATION

Max Speed :	95-100km/h
Max Range :	100-120 km
Wheel Size:	F: 457.2 mm / R: 431.5 mm
Motor:	YUMA 2000W
Control:	Votol 100S / Votol 150S
Battery :	Lithium Battery
Capacity:	72V / 36AH & 72V / 45AH
Charger :	10A
ChargeTime:	4-5 Hr
Tire Size:	Front:80 / 100-18 Rear: 80/100-17 Front:110/70-17 Rear Tire : 200/55-17
Brake:	Disc Brake CBS Disc Brake
Damping:	Hydraulic shock absorption
Loading:	200KG loading capacity, 2 passengers.
Weight:	Motorcycle weight is 85kg without battery.
Wheel Base:	1375 mm

MODEL: KN-1

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	10 TO 20	21 & ABOVE
LITHIUM	72 V / 36 AH	133409	128644	125071
LITHIUM	72 V / 45 AH	144458	139298	135429

Note: Scheme is applicable on assorted lifting also (only Bikes)

*** Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies**

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: V 6

TECHNICAL SPECIFICATION

Max Speed :	95-100km/h
Max Range :	100-120 km
Wheelbase:	1480mm
Motor:	YUMA 3000W
Control:	Votol 100S / Votol 150S
Battery :	Lithium Battery
Capacity:	72V45AH / 72V60AH / 72V75AH
Charger :	10A
ChargeTime:	4-5 Hr
Tire Size:	Front:110/70-17 Rear: 140/70-17 Front:110/70-17 Rear Tire : 200/55-17
Brake:	Disc Brake CBS Disc Brake
Damping:	Hydraulic shock absorption
Loading:	250KG loading capacity, 2 passengers.
Weight:	Motorcycle weight is 95kg without battery.
Size:	Motorcycle Size: 2050*700*1000MM

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	10 TO 20	21 & ABOVE
LITHIUM	72 V / 45 AH	157400	151800	147600
LITHIUM	72 V / 60 AH	175850	169550	164850
LITHIUM	72 V / 75 AH	194250	187300	182100

*** Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies**

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: JF

TECHNICAL SPECIFICATION

Max Speed :	95-100km/h
Max Range :	100-120 km
Wheelbase:	1480mm
Motor:	YUMA 3000W
Control:	Votol 100S / Votol 150S
Battery :	Lithium Battery
Capacity:	72V45AH / 72V60AH / 72V75AH
Charger :	10A
ChargeTime:	4-5 Hr
Tire Size:	Front:110/70-17 Rear: 140/70-17 Front:110/70-17 Rear Tire : 200/55-17
Brake:	Disc Brake CBS Disc Brake
Damping:	Hydraulic shock absorption
Loading:	250KG loading capacity, 2 passengers.
Weight:	Motorcycle weight is 95kg without battery.
Size:	Motorcycle Size: 2050*700*1000MM

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	10 TO 20	21 & ABOVE
LITHIUM	72 V / 45 AH	157400	151800	147600
LITHIUM	72 V / 60 AH	175850	169550	164850
LITHIUM	72 V / 75 AH	194250	187300	182100

*** Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies**

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: A1-4

TECHNICAL SPECIFICATION

Max Speed :	95-100km/h
Max Range :	100-120 km
Wheelbase:	1480mm
Motor:	YUMA 3000W
Control:	Votol 100S / Votol 150S
Battery :	Lithium Battery
Capacity:	72V45AH / 72V60AH / 72V75AH
Charger :	10A
ChargeTime:	4-5 Hr
Tire Size:	Front:110/70-17 Rear: 140/70-17 Front:110/70-17 Rear Tire : 200/55-17
Brake:	Disc Brake CBS Disc Brake
Damping:	Hydraulic shock absorption
Loading:	250KG loading capacity, 2 passengers.
Weight:	Motorcycle weight is 95kg without battery.
Size:	Motorcycle Size: 2050*700*1000MM

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	10 TO 20	21 & ABOVE
LITHIUM	72 V / 45 AH	157400	151800	147600
LITHIUM	72 V / 60 AH	175850	169550	164850
LITHIUM	72 V / 75 AH	194250	187300	182100

*** Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies**

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: DMS

TECHNICAL SPECIFICATION

Max Speed :	95-100km/h
Max Range :	100-120 km
Wheelbase:	1480mm
Motor:	YUMA 3000W
Control:	Votol 100S / Votol 150S
Battery :	Lithium Battery
Capacity:	72V45AH / 72V60AH / 72V75AH
Charger :	10A
ChargeTime:	4-5 Hr
Tire Size:	Front:110/70-17 Rear: 140/70-17 Front:110/70-17 Rear Tire : 200/55-17
Brake:	Disc Brake CBS Disc Brake
Damping:	Hydraulic shock absorption
Loading:	250KG loading capacity, 2 passengers.
Weight:	Motorcycle weight is 95kg without battery.
Size:	Motorcycle Size: 2050*700*1000MM

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	10 TO 20	21 & ABOVE
LITHIUM	72 V / 45 AH	157400	151800	147600
LITHIUM	72 V / 60 AH	175850	169550	164850
LITHIUM	72 V / 75 AH	194250	187300	182100

*** Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies**

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: SL RTO

TECHNICAL SPECIFICATION

Engine & Transmission	Self Start Only
Chassis	High Strength Tubular Frame
Suspension	Front-Hydraulic Telescopic
Speedometer/Odometer	Rear-Double Shocker with Dual Tube
Wheel	Alloy
Body Type	Electric Bike
Length/Width/Height	1730x700x1090 mm
Ground Clearance	154 mm
Kerb Weight	85 Kg
Load Capacity/KG	150 Kg
Charger/Time	Micro Charger/5-8 hrs
Battery Type	Lithium-ion/Lead Acid
Battery Capacity	48V - 60 V /28Ah - 40 Ah
Controller	48/60 V
Speed	25 kmph
Brakes	Yes-Front-Disc, Rear-Drum
Tyre Size	90x100x10
Tubeless Tyre	Tubeless (Front/Rear)
Gradient	15 Degree
Motor Power	1200 Watt
Low Battery Indicator	Yes

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	11 TO 20	21 & ABOVE
LITHIUM	60 V / 30 AH	71825	70495	69165
LITHIUM	72 V / 20 AH	65905	64685	63465
LITHIUM	72 V / 25 AH	71825	70495	69165
LITHIUM	72 V / 30 AH	77745	76305	74865

* Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: DL RTO

TECHNICAL SPECIFICATION

Engine & Transmission	Self Start Only
Chassis	High Strength Tubular Frame
Suspension	Front-Hydraulic Telescopic
Speedometer/Odometer	Rear-Double Shocker with Dual Tube
Wheel	Alloy
Body Type	Electric Bike
Length/Width/Height	1730x700x1090 mm
Ground Clearance	154 mm
Kerb Weight	85 Kg
Load Capacity/KG	150 Kg
Charger/Time	Micro Charger/5-8 hrs
Battery Type	Lithium-ion/Lead Acid
Battery Capacity	48V - 60 V /28Ah - 40 Ah
Controller	48/60 V
Speed	25 kmph
Brakes	Yes-Front-Disc, Rear-Drum
Tyre Size	90x100x10
Tubeless Tyre	Tubeless (Front/Rear)
Gradient	15 Degree
Motor Power	1200 Watt
Low Battery Indicator	Yes

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	11 TO 20	21 & ABOVE
LITHIUM	60 V / 30 AH	71825	70495	69165
LITHIUM	72 V / 20 AH	65905	64685	63465
LITHIUM	72 V / 25 AH	71825	70495	69165
LITHIUM	72 V / 30 AH	77745	76305	74865

* Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: VESPA-R- RTO

TECHNICAL SPECIFICATION

Engine & Transmission	Self Start Only
Chassis	High Strength Tubular Frame
Suspension	Front-Hydraulic Telescopic
Speedometer/Odometer	Rear-Double Shocker with Dual Tube
Wheel	Alloy
Body Type	Electric Bike
Length/Width/Height	1730x700x1090 mm
Ground Clearance	154 mm
Kerb Weight	85 Kg
Load Capacity/KG	150 Kg
Charger/Time	Micro Charger/5-8 hrs
Battery Type	Lithium-ion/Lead Acid
Battery Capacity	48V - 60 V /28Ah - 40 Ah
Controller	48/60 V
Speed	25 kmph
Brakes	Yes-Front-Disc, Rear-Drum
Tyre Size	90x100x10
Tubeless Tyre	Tubeless (Front/Rear)
Gradient	15 Degree
Motor Power	1200 Watt
Low Battery Indicator	Yes

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	11 TO 20	21 & ABOVE
LITHIUM	60 V / 30 AH	71825	70495	69165
LITHIUM	72 V / 20 AH	65905	64685	63465
LITHIUM	72 V / 25 AH	71825	70495	69165
LITHIUM	72 V / 30 AH	77745	76305	74865

* Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: VESPA-S- RTO

TECHNICAL SPECIFICATION

Engine & Transmission	Self Start Only
Chassis	High Strength Tubular Frame
Suspension	Front-Hydraulic Telescopic
Speedometer/Odometer	Rear-Double Shocker with Dual Tube
Wheel	Alloy
Body Type	Electric Bike
Length/Width/Height	1730x700x1090 mm
Ground Clearance	154 mm
Kerb Weight	85 Kg
Load Capacity/KG	150 Kg
Charger/Time	Micro Charger/5-8 hrs
Battery Type	Lithium-ion/Lead Acid
Battery Capacity	48V - 60 V /28Ah - 40 Ah
Controller	48/60 V
Speed	25 kmph
Brakes	Yes-Front-Disc, Rear-Drum
Tyre Size	90x100x10
Tubeless Tyre	Tubeless (Front/Rear)
Gradient	15 Degree
Motor Power	1200 Watt
Low Battery Indicator	Yes

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	11 TO 20	21 & ABOVE
LITHIUM	60 V / 30 AH	71825	70495	69165
LITHIUM	72 V / 20 AH	65905	64685	63465
LITHIUM	72 V / 25 AH	71825	70495	69165
LITHIUM	72 V / 30 AH	77745	76305	74865

* Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: VESPA-BS-12 RTO

TECHNICAL SPECIFICATION

Chassis	High Strength Tubular Frame
Suspension	Front-Hydraulic Telescopic
Speedometer/Odometer	Rear-Double Shocker with Dual Tube
Wheel	Alloy
Body Type	Electric Bike
Length/Width/Height	1730x700x1090 mm
Ground Clearance	180 mm
Kerb Weight	85 Kg
Load Capacity/KG	200 Kg
Charger/Time	Micro Charger/5-8 hrs
Battery Type	Lithium-ion/Lead Acid
Battery Capacity	48V - 60 V /28Ah - 40 Ah
Controller	60 /72 V
Speed	55 kmph
Brakes	Yes-Front-Disc, Rear-Drum
Tyre Size	90x100x12
Tubeless Tyre	Tubeless (Front/Rear)
Gradient	18 Degree
Motor Power	1200 Watt

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	11 TO 20	21 & ABOVE
LITHIUM	72 V / 20 AH	69907	68607	67317
LITHIUM	72 V / 25 AH	75827	74417	73017
LITHIUM	72 V / 30 AH	81747	80227	78717
LITHIUM	72 V / 40 AH	93587	91847	90117

* Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: SL

TECHNICAL SPECIFICATION

Engine & Transmission	Self Start Only
Chassis	High Strength Tubular Frame
Suspension	Front-Hydraulic Telescopic
Speedometer/Odometer	Rear-Double Shocker with Dual Tube
Wheel	Alloy
Body Type	Electric Bike
Length/Width/Height	1730x700x1090 mm
Ground Clearance	154 mm
Kerb Weight	85 Kg
Load Capacity/KG	150 Kg
Charger/Time	Micro Charger/5-8 hrs
Battery Type	Lithium-ion/Lead Acid
Battery Capacity	48V - 60 V /28Ah - 40 Ah
Controller	48/60 V
Speed	25 kmph
Brakes	Yes-Front-Disc, Rear-Drum
Tyre Size	90x100x10
Tubeless Tyre	Tubeless (Front/Rear)
Gradient	15 Degree
Motor Power	250 Watt
Low Battery Indicator	Yes

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	11 TO 20	21 & ABOVE
L.A-GEL	60 V / 28 AH	42717	41927	41527
L.A-GRAPHENE	60 V / 32 AH	43477	42667	42267
LITHIUM	48 V / 30 AH	55897	54857	54337
LITHIUM	60 V / 30 AH	61777	60637	60067

* Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: DL

TECHNICAL SPECIFICATION

Engine & Transmission	Self Start Only
Chassis	High Strength Tubular Frame
Suspension	Front-Hydraulic Telescopic
Speedometer/Odometer	Rear-Double Shocker with Dual Tube
Wheel	Alloy
Body Type	Electric Bike
Length/Width/Height	1730x700x1090 mm
Ground Clearance	154 mm
Kerb Weight	85 Kg
Load Capacity/KG	150 Kg
Charger/Time	Micro Charger/5-8 hrs
Battery Type	Lithium-ion/Lead Acid
Battery Capacity	48V - 60 V /28Ah - 40 Ah
Controller	48/60 V
Speed	25 kmph
Brakes	Yes-Front-Disc, Rear-Drum
Tyre Size	90x100x10
Tubeless Tyre	Tubeless (Front/Rear)
Gradient	15 Degree
Motor Power	250 Watt
Low Battery Indicator	Yes

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	11 TO 20	21 & ABOVE
L.A-GEL	60 V / 28 AH	43797	42987	42577
L.A-GRAPHENE	60 V / 32 AH	44497	43677	43267
LITHIUM	48 V / 30 AH	56977	55917	55387
LITHIUM	60 V / 30 AH	62857	61697	61117

* Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: VESPA-R

TECHNICAL SPECIFICATION

Engine & Transmission	Self Start Only
Chassis	High Strength Tubular Frame
Suspension	Front-Hydraulic Telescopic
Speedometer/Odometer	Rear-Double Shocker with Dual Tube
Wheel	Alloy
Body Type	Electric Bike
Length/Width/Height	1730x700x1090 mm
Ground Clearance	154 mm
Kerb Weight	85 Kg
Load Capacity/KG	150 Kg
Charger/Time	Micro Charger/5-8 hrs
Battery Type	Lithium-ion/Lead Acid
Battery Capacity	48V - 60 V /28Ah - 40 Ah
Controller	48/60 V
Speed	25 kmph
Brakes	Yes-Front-Disc, Rear-Drum
Tyre Size	90x100x10
Tubeless Tyre	Tubeless (Front/Rear)
Gradient	15 Degree
Motor Power	250 Watt
Low Battery Indicator	Yes

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	11 TO 20	21 & ABOVE
L.A-GEL	60 V / 28 AH	45957	45107	44677
L.A-GRAPHENE	60 V / 32 AH	46717	45847	45417
LITHIUM	48 V / 30 AH	59137	58037	57487
LITHIUM	60 V / 30 AH	65017	63817	63217

* Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: VESPA-S

TECHNICAL SPECIFICATION

Engine & Transmission	Self Start Only
Chassis	High Strength Tubular Frame
Suspension	Front-Hydraulic Telescopic
Speedometer/Odometer	Rear-Double Shocker with Dual Tube
Wheel	Alloy
Body Type	Electric Bike
Length/Width/Height	1730x700x1090 mm
Ground Clearance	154 mm
Kerb Weight	85 Kg
Load Capacity/KG	150 Kg
Charger/Time	Micro Charger/5-8 hrs
Battery Type	Lithium-ion/Lead Acid
Battery Capacity	48V - 60 V /28Ah - 40 Ah
Controller	48/60 V
Speed	25 kmph
Brakes	Yes-Front-Disc, Rear-Drum
Tyre Size	90x100x10
Tubeless Tyre	Tubeless (Front/Rear)
Gradient	15 Degree
Motor Power	1200 Watt
Low Battery Indicator	Yes

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	11 TO 20	21 & ABOVE
L.A-GEL	60 V / 28 AH	47577	46697	46257
L.A-GRAPHENE	60 V / 32 AH	48337	47437	46987
LITHIUM	48 V / 30 AH	60757	59627	59067
LITHIUM	60 V / 30 AH	66637	65407	64787

* Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: MAGNUS-B-12

TECHNICAL SPECIFICATION

Chassis	High Strength Tubular Frame
Suspension	Front-Hydraulic Telescopic
Speedometer/Odometer	Rear-Double Shocker with Dual Tube
Wheel	Alloy
Body Type	Electric Bike
Length/Width/Height	1730x700x1090 mm
Ground Clearance	180 mm
Kerb Weight	85 Kg
Load Capacity/KG	200 Kg
Charger/Time	Micro Charger/5-8 hrs
Battery Type	Lithium-ion/Lead Acid
Battery Capacity	48V - 60 V /28Ah - 40 Ah
Controller	60 /72 V
Speed	55 kmph
Brakes	Yes-Front-Disc, Rear-Drum
Tyre Size	90x100x12
Tubeless Tyre	Tubeless (Front/Rear)
Gradient	18 Degree
Motor Power	1200 Watt

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	11 TO 20	21 & ABOVE
L.A-GEL	60 V / 28 AH	54707	53687	53187
L.A-GRAPHENE	60 V / 32 AH	55567	54537	54027
LITHIUM	48 V / 30 AH	77437	76007	75287
LITHIUM	60 V / 30 AH	89267	87607	86787

* Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice



MODEL: VESPA-BS-12

TECHNICAL SPECIFICATION

Chassis	High Strength Tubular Frame
Suspension	Front-Hydraulic Telescopic
Speedometer/Odometer	Rear-Double Shocker with Dual Tube
Wheel	Alloy
Body Type	Electric Bike
Length/Width/Height	1730x700x1090 mm
Ground Clearance	180 mm
Kerb Weight	85 Kg
Load Capacity/KG	200 Kg
Charger/Time	Micro Charger/5-8 hrs
Battery Type	Lithium-ion/Lead Acid
Battery Capacity	48V - 60 V /28Ah - 40 Ah
Controller	60 /72 V
Speed	55 kmph
Brakes	Yes-Front-Disc, Rear-Drum
Tyre Size	90x100x12
Tubeless Tyre	Tubeless (Front/Rear)
Gradient	18 Degree
Motor Power	1200 Watt

Dealer Price with Scheme

BATTERY		QTY SCHEME		
TYPE	CAPACITY	01 TO 10	11 TO 20	21 & ABOVE
L.A-GEL	60 V / 28 AH	59027	57927	57387
L.A-GRAPHENE	60 V / 32 AH	59887	58777	58227
LITHIUM	48 V / 30 AH	81757	80247	79487
LITHIUM	60 V / 30 AH	93587	91847	90987

* Running distance with 45/60/75 Ah Battery Varies as per Load. * As per Company WARRANTY Policies

** Terms & Conditions **

- * Above prices inclusive of Taxes
- * Payment Terms: 100% in advance.
- * Above prices are Ex Factory rate
- * One Year warranty on Motor. Controller & DC Converter 6 months on billing date
- * 36 months warranty on Lithium Battery & 12 months on Lead Acid on billing date
- * Transportation EXTRA
- * **Above Prices are Valid for 30 Days only**
- * Prices may change without prior notice